




A Creative LED Display

for flexible curve indoor application







Full range of LED indoor display pixel pitch ranges from 1.2mm to 4mm with different sizes to match different kinds of application.

Super slim

Super light&Slim: Only7kg/SQM, 6mm thickness.





Easy installation

Module installation

Magnetic front service

Customized shape cabinet frame

FX Series

Specification

Pixel pitch	1.25 mm	1.59mm	1.667mm	1.875mm			
LED configuration	SMD1010	SMD1010	SMD1010	SMD1515			
Brightness	600 nits	650 nits	700 nits	750nits			
Viewing angle	160°/140° (50% brightness)						
Scan mode	1/48	1/38	1/36	1/32			
Refresh rate	1920/3840Hz						
Processing	16 bits						
Module size	240mm x 120mm x 9.5mm (W x H x D) 9.44" x 4.72" x 0.37" (W x H x D)						
Module weight	0.215kg						
Contrast	5000:1						
Input voltage	AC100~240V 50/60 HZ						
Power consumption (Avg)	340W/sqm	340W/sqm	270W/sqm	270W/sqm			
Power consumption (Max)	1000W/sqm	1000W/sqm	800W/sqm	800W/sqm			
Working temperature	-20°C~60°C						
IP rating	IP31/IP45						
Life span	100,000 hrs						
Warranty	24 months						

FX Series

Specification

Pixel pitch	2 mm	2.5mm	3mm	4mm			
LED configuration	SMD1515	SMD1515	SMD2121	SMD2121			
Brightness	750 nits	800nits	800 nits	800nits			
Viewing angle	160°/140° (50% brightness)						
Scan mode	1/30	1/24	1/20	1/15			
Refresh rate	1920/3840Hz						
Processing	16 bits						
Module size	240mm x 120mm x 9.5mm (W x H x D) 9.44" x 4.72" x 0.37" (W x H x D)						
Module weight	0.215kg						
Contrast	5000:1						
Input voltage	AC100~240V 50/60 HZ						
Power consumption (Avg)	270W/sqm						
Power consumption (Max)	800W/sqm						
Working temperature	-20°C~60°C						
IP rating	IP31/IP45						
Life span	100,000 hrs						
Warranty	24 months						



Show Room



Events



Shopping mall



Project Gallery

Arts



Duty Free Shops



Free inquiry with solutions

We will quote for any inquiry within 24 hours with quotations & specifications

LUCERE DISPLAYS Service

Customer' value is our top priority



Free drawing

Free drawing of structure, signal & power cable connection, customized solutions if needed



7/24 online technical support

Sales technical supports are ready anytime within warranty



Locations
Philadelphia / Nashville

Tel: 855 MY DISPLAY 855 693 4775

Email: info@luceredisplays.net